



Certificate of Compliance

We certify that the sanitary gasket materials listed below conform to and are in compliance with the following standards;

RUBBER GASKETS

NBR (Nitrile/Buna-N), EPDM, FKM (Viton/Fluoroelastomer), VMQ (Silicone, Peroxide & Platinum Cured)

1. US Food and Drug Administration Code of Federal Regulations Title 21, Part 177, SubPart C, Sec. 177.2600, Cite:21CFR177.2600. "Substances For Use Only As Components Of Articles Intended For Repeated Use".
2. USDA FSIS (Food Safety and Inspection Service) Compliances per the FDA 21CFR7.12 and 21CFR7.13 Regulations for Direct and Incidental Food Contact Materials Intended For Use As Specified in the above FDA 21CFR177.2600 Regulations.
3. 3-A Sanitary Standards 18-03 for Multiple-Use Rubber and Rubber-Like Materials Used As Product Contact Surfaces in Dairy Equipment. Authorization No.: 1294.
4. US Pharmacopeia Requirements:
 - A. USP Class VI Tests @ 121C - USP 27, NF 22, <88> Biological Reactivity, In VIVO.
 - B. USP MEM Elution Cytotoxicity:-
USP 27, NF 22, <87> Biological Reactivity, In VITRO
5. EU EC 1935/2004(3) Food Contact Certification.
6. EU EC 2023/2006 Good Manufacturing Practice for Materials and Articles Intended to Come in Contact with Food.
7. ADI - Animal Derived Ingredients Certified

TEFLON GASKETS

Teflon Sanitary Gaskets used were manufactured from DuPont Fluoropolymer stated thereon. This Fluoropolymer, as stated in E.I. DuPont De Nemours Company Product Information, complies with the following:

1. FDA Title 21—Food and Drugs
2. Part 177—Indirect Food Additives: Polymers
Subpart B—Substances For Use as Basic Components of Single and Repeated Use Food Contact Surfaces Sec 177.1550 Perfluorocarbon Resins Cite: 21CFR177.1550, 177.1520, 177.2600, 175.105, 175.300, 176.170, 176.180
3. 3-A Sanitary Standards for Multiple-Use Plastic Materials Used as Products Contact Surfaces for Dairy Equipment, Number 20-17, (Currently 20-25).
4. US Pharmacopela Class VI @ 121C, USP Class VI Plastics.
5. ADI - Animal Derived Ingredients Certified

B. Ramsbottom
Quality & Technical Manager
July 17, 2018